

# Cobblestones

Basis MSDS der Firma COBB International Ltd, 2021 Bryanston, «Cobblestones»

Anpassung an schweizerische Rechtsvorschriften

## ABSCHNITT 1 Bezeichnung des Stoffs bzw. des Gemischs und des Unternehmens

**1.1 Produktidentifikator: Cobblestones**

Eindeutiger Rezepturidentifikator (UFI) für Zubereitungen: ----

**1.2 Relevante identifizierte Verwendung des Stoffes oder Gemischs  
Brennstoff (Fuels)**

**1.3 Einzelheiten zum Lieferanten, der das Sicherheitsdatenblatt bereitstellt  
Hersteller/Lieferant**

Easy to camp AG

Bernstrasse 115

3613 Steffisburg

Schweiz

+ 41 33 437 74 38

E-Mail: [info@easytocamp.ch](mailto:info@easytocamp.ch)

**Auskunftsgebender Bereich**

E-Mail der sachkundigen Person,

die für das Sicherheitsdatenblatt zuständig ist

[info@easytocamp.ch](mailto:info@easytocamp.ch)

**1.4 Notrufnummer**

Toxikologisches Informationszentrum

Freiestrasse 16, 8032 Zürich

Tel: 0041 (0)44 251 51 51

Notfallnummer: 145 (24h)

[www.toxi.ch](http://www.toxi.ch)

## ABSCHNITT 7: Handhabung und Lagerung

7.2. Lagerklasse LGK 5 (Brandfördernde Stoffe) (Lagerung gefährlicher Stoffe; Leitfaden 2018)

Ein Leitfaden zur Lagerung von Gefahrstoffe ist auf der Webseite verfügbar:

[www.kvu.ch/de/arbeitsgruppe](http://www.kvu.ch/de/arbeitsgruppe)

## **ABSCHNITT 8 Begrenzung und Überwachung der Exposition / Persönliche Schutzausrüstungen**

### **8.1 Zu überwachende Parameter**

Grenzwerte für die Exposition am Arbeitsplatz (CH-MAK-Werte, SUVA Liste 2023)

Holzkohle (Charcoal)	CAS 68647-86-9	
	ml/m <sup>3</sup> (ppm)	mg/m <sup>3</sup>
MAK	Keine Angabe	
KZGW (15min)		
Notation / Kritische Toxizität		
BAT-Wert		-

Strontiumnitrat	CAS 10042-76-9	
	ml/m <sup>3</sup> (ppm)	mg/m <sup>3</sup>
MAK	Keine Angabe	
KZGW (15min)		
Notation / Kritische Toxizität		
BAT-Wert		-

Natriumnitrat	CAS 7631-99-4	
	ml/m <sup>3</sup> (ppm)	mg/m <sup>3</sup>
MAK	Keine Angabe	
KZGW (15min)		
Notation / Kritische Toxizität		
BAT-Wert		-

### **Siehe SDB der Firma COBB International ltd, 2021 Bryanston**

#### **8.2**

**Atemschutz:** Bei unzureichender Belüftung Atemschutz tragen nach EN 136, EN 140, EN 141, EN 143

**Handschutz:** Nach EN 374 (siehe SDB der Firma COBB International ltd, 2021 Bryanston)

**Augenschutz:** Nach EN 166

**Körperschutz:** Arbeitsschutzkleidung (EN 340)

## **ABSCHNITT 13 Hinweise zur Entsorgung**

### **13.1 Verfahren zur Abfallbehandlung**

Die einschlägigen nationalen Vorschriften sind zu beachten. Technische Verordnung über Abfälle (SR 814.600), Verkehr mit Abfällen (SR 814.610), Verordnung des UVEK über Listen zum Verkehr mit Abfällen (SR 814.610.1)

#### **13.1.1 Verfahren „Empfehlung“:**

In der Verkaufsstelle zurückgeben oder der Sammelstelle für Sonderabfälle übergeben.  
Nicht in Gewässer oder Kanalisation gelangen lassen

**13.1.2 Verfahren „CH-Abfallverzeichnis VeVA-Code“ (SR 814.601)**

16.09.04 Oxidierende Stoffe anderswo nicht genannt

**13.4 Verfahren „Ungereinigte Verpackungen“****Empfehlung**

Teilentleerte Verpackung/Behälter/Dose der Verkaufsstelle zurückgeben oder einer Sammelstelle für Sonderabfälle übergeben

Entsorgung gemäss den Kantonalen behördlichen Vorschriften

**ABSCHNITT 15 Rechtsvorschriften****15.1 Vorschriften zu Sicherheit, Gesundheits- und Umweltschutz / spezifische Rechtsvorschriften für den Stoff oder das Gemisch**

Die Gemische sind kennzeichnungspflichtig gemäss ChemV, (SR 813.11) resp. der Verordnung EG 1272/2008

Chemikaliengesetz (SR 813.1)

Chemikalien-Risikoreduktions-Verordnung (SR 814.81)

Verordnung des UVEK über Listen zum Verkehr mit Abfällen (SR 814.610.1)

Verordnung über die Lenkungsabgabe auf flüchtigen organischen Verbindungen (SR 814.018)

Lagerung

Lagerung gefährlicher Stoffe / Leitfaden für die Praxis (Umweltfachstellen)

LGK NG

Verordnung 5 zum Arbeitsgesetz (SR 822.115); Jugendarbeitsschutzverordnung, ArGV 5; (SR 822.115.2) Verordnung des WBF über gefährliche Arbeiten für Jugendliche)

Verordnung des WBF über gefährliche und beschwerliche Arbeiten bei Schwangerschaft und Mutterschaft (Mutterschutzverordnung) (SR 822.111.52) nicht betroffen

Verordnung vom 22 Juni 2005 über den Verkehr mit Abfällen (VeVA) (SR 814.610)

Verordnung des UVEK vom 18.Oktober 2005 über Listen zum Verkehr mit Abfällen (SR 814.610.1)

Verordnung vom 27. Februar 1991 über den Schutz vor Störfällen (SR 814.012)

**Organische Lösemittel (VOC): Keine Daten verfügbar**

**Mengenschwelle nach Störfallverordnung (SR 814.012 ): 20000 kg ( H272 )**

**15.2 Stoffsicherheitsbeurteilung**

Eine Stoffsicherheitsbeurteilung wurde nicht durchgeführt.

**ABSCHNITT 16 Sonstige Angaben****Hinweise:**

Die Einstufung und die Kennzeichnung des Gemisches sind in Abschnitt 2 aufgeführt.

Das Sicherheitsdatenblatt ist auf Grundlage der geltenden EU-Vorschriften erstellt worden. Es gibt den derzeitigen Stand der Kenntnisse wieder und ist keine vertragliche Zusicherung von Qualitätseigenschaften des Produktes. Diese Angaben dürfen nicht geändert oder auf andere Produkte übertragen werden. Vervielfältigung in unverändertem Zustand ist gestattet.

**Abkürzungen**

BAT	Biologische Arbeitsstofftoleranzwerte
EU	Europäische Union
KZGW	Kurzzeitgrenzwert
MAK	Maximale Arbeitsplatzkonzentration
PBT	Persistent, bioakkumulierbar und toxisch.
vPvB	Sehr persistent und sehr bioakkumulierbar.

**Einstufung des Gemischs nach Verordnung 1272/2008**

- H 271 Kann Brand oder Explosion verursachen; starkes Oxidationsmittel
- H 272 Kann Brand verstärken; Oxidationsmittel.
- H 318 Verursacht schwere Augenschäden.
- H 319 Verursacht schwere Augenreizung.

**Anpassung an schweizerische Rechtsvorschriften:**

Reach Consulting H. Reust & Co  
Dr. Heinz Reust  
Salinenstrasse 36  
CH-4052 Basel / Schweiz  
+41 78 865 02 44  
+41 61 312 24 62  
[reustconsulting@gmail.com](mailto:reustconsulting@gmail.com)

Société Chimeco  
François Zosso  
Rue Viollier 5  
1207 Genève  
+41 76 224 10 33  
+ 41 22 736 15 62  
[francois.zosso@chimeco.ch](mailto:francois.zosso@chimeco.ch)

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form : Mixture  
Product name : Cobblestones

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Intended for general public  
Main use category : Consumer uses, Professional use  
Use of the substance/mixture : Fuels

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet****Manufacturer****COBB International Ltd.**

Crn Peter Place and Brian Street  
Coachman's Crossing, Block E  
P.O. Box PO Box 68113  
Bryanston, 2021  
T 27 11 463 1235  
27 11 463 1434

**1.4. Emergency telephone number**

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	
United Kingdom	National Poisons Information Service (Cardiff Centre) Gwenwyn Ward, Llandough Hospital	Penarth CF64 2XX Cardiff	0344 892 0111	
United Kingdom	National Poisons Information Service Edinburgh Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA Edinburgh	0344 892 0111	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0344 892 0111	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Oxidising Solids, Category 1 H271  
Serious eye damage/eye irritation, Category 1 H318

Full text of H statements : see section 16

**2.2. Label elements****Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP) :



GHS03

GHS05

Signal word (CLP) :

: Danger

Hazardous ingredients :

: Strontium nitrate

Hazard statements (CLP) :

: H271 - May cause fire or explosion; strong oxidiser.  
H318 - Causes serious eye damage.

Precautionary statements (CLP) :

: P101 - If medical advice is needed, have product container or label at hand  
P102 - Keep out of reach of children.  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P220 - Keep away from clothing and other combustible materials.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.**2.3. Other hazards**

Other hazards not contributing to the classification : The product does not meet the PBT and vPvB classification criteria.

**SECTION 3: Composition/information on ingredients****3.1. Substances**

Not applicable

**3.2. Mixtures**

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Charcoal, coconut shell	(CAS-No.) 68647-86-9 (EC-No.) 271-974-4 (REACH-no) 01-2119976386-22-0047	Trade secret	Not classified
Strontium nitrate	(CAS-No.) 10042-76-9 (EC-No.) 233-131-9 (REACH-no) 01-2119615605-42-0006	Trade secret	Ox. Sol. 1, H271 Eye Dam. 1, H318
Sodium nitrate	(CAS-No.) 7631-99-4 (EC-No.) 231-554-3 (REACH-no) 01-2119488221-41-0050	Trade secret	Ox. Sol. 3, H272 Eye Irrit. 2, H319

Full text of H-statements: see section 16

**SECTION 4: First aid measures****4.1. Description of first aid measures**

First-aid measures general : In all cases of doubt, or when symptoms persist, seek medical attention. If possible show this sheet, if not available show packaging or label.

First-aid measures after inhalation : Remove person to fresh air and keep them warm and calm.

First-aid measures after skin contact : Take off immediately all contaminated clothing. Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion : Do not induce vomiting. Call a poison center or a doctor if you feel unwell.

**4.2. Most important symptoms and effects, both acute and delayed**

Symptoms/effects after eye contact : Causes serious eye damage.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

Suitable extinguishing media : Water spray, dry powder, alcohol resistant foam, carbon dioxide.

Unsuitable extinguishing media : Not known. Use fire-extinguishing media appropriate for surrounding materials.

**5.2. Special hazards arising from the substance or mixture**

Fire hazard	: Contact with combustible material may cause fire.
Explosion hazard	: Reacts with combustible materials: (increased) risk of fire/explosion.
Reactivity in case of fire	: May accelerate the burning of other combustible materials. On heating: release of harmful gases/vapours.
Hazardous decomposition products in case of fire	: Carbon oxides (CO and CO <sub>2</sub> ). Nitrogen oxides. Nitrous gasses.

**5.3. Advice for firefighters**

Firefighting instructions	: Evacuate the danger area. Fight fire from safe distance and protected location. Keep upwind. Suppress the vapours given off, with vaporised water. Exercise caution when fighting any chemical fire. Do not allow run-off from fire fighting to enter drains or water courses.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: Do not breathe fumes from fires or vapours from decomposition.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

General measures	: Stop leak if safe to do so. Ventilate spillage area. Avoid dust formation. Avoid contact with eyes. Keep away from Incompatible products. Isolate from fire, if possible, without unnecessary risk.
------------------	---

**6.1.1. For non-emergency personnel**

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Stop leaks if it can be done without personal risk. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Avoid creating or spreading dust.

**6.1.2. For emergency responders**

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

**6.2. Environmental precautions**

Avoid release to the environment.

**6.3. Methods and material for containment and cleaning up**

Methods for cleaning up	: Clean up immediately by sweeping or vacuum. Minimise generation of dust. Collect up the product and place it in a spare container suitably labelled. Then take the emergency containers to an area reserved for subsequent recycling or disposal. Ventilate area.
Other information	: Dispose of materials or solid residues at an authorized site.

**6.4. Reference to other sections**

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Precautions for safe handling	: Wear personal protective equipment. Avoid contact with eyes. Avoid all unnecessary exposure. Avoid dust formation, if any, do not breathe in, provide good ventilation, use protective equipment listed in Section 8. Keep away from open flames, hot surfaces and sources of ignition. Keep away from clothing and other combustible materials. Keep out of reach of children. Keep in original containers.
Hygiene measures	: Always wash hands after handling the product.

**7.2. Conditions for safe storage, including any incompatibilities**

Storage conditions	: Store tightly closed in a dry, cool and well-ventilated place. Protect from heat and direct sunlight. Keep away from ignition sources. Keep away from combustible material.
Incompatible products	: Strong acids, reducing agents, powdered metals, alkali metals.
Incompatible materials	: Organic materials, combustible substances and products.
Heat and ignition sources	: Keep away from sources of ignition - No smoking.

**7.3. Specific end use(s)**

No additional information available

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

No additional information available

**8.2. Exposure controls****Appropriate engineering controls:**

Provide adequate ventilation. Emergency eye wash fountain with clean water.

**Personal protective equipment:**

Use personal protective equipment as required.

**Hand protection:**

Chemical resistant gloves (according to European standard EN 374 or equivalent). Recommended materials: Nitrile-rubber protective gloves

**Eye protection:**

Safety glasses with side shields. tightly fitting safety goggles. EN 166

**Skin and body protection:**

Wear suitable protective clothing

**Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment. EN 143

**Environmental exposure controls:**

Avoid release to the environment.

**Other information:**

Use care during processing to minimize generation of dust.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state	: Solid
Colour	: No data available
Odour	: Odourless.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Contact with combustible material may cause fire.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
It does not have oxidising properties	: May cause fire or explosion; strong oxidiser.
Explosive limits	: Not applicable

**9.2. Other information**

No additional information available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

No hazardous reactions known under normal conditions of use.

**10.4. Conditions to avoid**

Overheating, ignition sources, open flame, incompatible materials. Protect from moisture.

**10.5. Incompatible materials**

Strong acids, reducing agent, powdered metals, alkali metals, organic materials, combustible materials.

**10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects**

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

**Charcoal, coconut shell (68647-86-9)**

LD50 oral rat	> 2000 mg/kg bodyweight
LC50 inhalation rat (mg/l)	> 4.97 mg/l/4h

**Strontium nitrate (10042-76-9)**

LD50 oral rat	> 2000 mg/kg bodyweight
LC50 inhalation rat (mg/l)	> 4.5 mg/l/4h

**Sodium nitrate (7631-99-4)**

LD50 oral rat	> 2000 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

**SECTION 12: Ecological information****12.1. Toxicity**

Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)

**12.2. Persistence and degradability****Cobblestones**

Persistence and degradability	No additional information available.
-------------------------------	--------------------------------------

**12.3. Bioaccumulative potential****Cobblestones**

Bioaccumulative potential	No additional information available.
---------------------------	--------------------------------------

**12.4. Mobility in soil****Cobblestones**

Ecology - soil	No additional information available.
----------------	--------------------------------------

**12.5. Results of PBT and vPvB assessment****Cobblestones**

This mixture does not meet the PBT criteria of REACH regulation, annex XIII

This mixture does not meet the vPvB criteria of REACH regulation, annex XIII

**Component**

Charcoal, coconut shell (68647-86-9)	This substance does not meet the PBT criteria of REACH regulation, annex XIII This substance does not meet the vPvB criteria of REACH regulation, annex XIII
Strontium nitrate (10042-76-9)	This substance does not meet the PBT criteria of REACH regulation, annex XIII This substance does not meet the vPvB criteria of REACH regulation, annex XIII
Sodium nitrate (7631-99-4)	This substance does not meet the PBT criteria of REACH regulation, annex XIII This substance does not meet the vPvB criteria of REACH regulation, annex XIII

**12.6. Other adverse effects**






Other adverse effects : No other effects known.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Disposal through controlled incineration or authorised waste dump.
Ecology - waste materials	: Avoid release to the environment.
HP Code	: HP4 - "Irritant — skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye. HP2 - "Oxidising:" waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials.

**SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
UN 1507	UN 1507	UN 1507	UN 1507	UN 1507
<b>14.2. UN proper shipping name</b>				
STRONTIUM NITRATE	STRONTIUM NITRATE	STRONTIUM NITRATE	STRONTIUM NITRATE	STRONTIUM NITRATE
<b>Transport document description</b>				
UN 1507 STRONTIUM NITRATE, 5.1, III, (E)	UN 1507 STRONTIUM NITRATE, 5.1, III	UN 1507 STRONTIUM NITRATE, 5.1, III	UN 1507 STRONTIUM NITRATE, 5.1, III	UN 1507 STRONTIUM NITRATE, 5.1, III
<b>14.3. Transport hazard class(es)</b>				
5.1	5.1	5.1	5.1	5.1
				
<b>14.4. Packing group</b>				
III	III	III	III	III
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

**14.6. Special precautions for user****Overland transport**

Classification code (ADR)	: O2
Limited quantities (ADR)	: 5kg
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Special packing provisions (ADR)	: B3
Mixed packing provisions (ADR)	: MP10

Portable tank and bulk container instructions (ADR)	: T1
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAV
Tank special provisions (ADR)	: TU3
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Bulk (ADR)	: VC1, VC2, AP6, AP7
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV24
Hazard identification number (Kemler No.)	: 50
Orange plates	:

50

1507

Tunnel restriction code (ADR)	: E
EAC code	: 1Z

**Transport by sea**

Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P002, LP02
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: T1
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-Q
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Colourless solid. Soluble in water. Mixtures with combustible material are readily ignited and may burn fiercely. Harmful if swallowed.

**Air transport**

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y546
PCA limited quantity max net quantity (IATA)	: 10kg
PCA packing instructions (IATA)	: 559
PCA max net quantity (IATA)	: 25kg
CAO packing instructions (IATA)	: 563
CAO max net quantity (IATA)	: 100kg
Special provisions (IATA)	: A803
ERG code (IATA)	: 5L

**Inland waterway transport**

Classification code (ADN)	: O2
Limited quantities (ADN)	: 5 kg
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: B
Equipment required (ADN)	: PP
Provisions prior to loading (ADN)	: LO04
Provisions for carriage in bulk (ADN)	: CO02
Number of blue cones/lights (ADN)	: 0
Additional requirements/Remarks (ADN)	: CO02 and LO04 apply only when this substance is carried in bulk or without packaging

**Rail transport**

Classification code (RID)	: O2
Limited quantities (RID)	: 5kg
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P002, IBC08, LP02, R001
Special packing provisions (RID)	: B3

Mixed packing provisions (RID)	: MP10
Portable tank and bulk container instructions (RID)	: T1
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAV
Special provisions for RID tanks (RID)	: TU3
Transport category (RID)	: 3
Special provisions for carriage – Bulk (RID)	: VC1, VC2, AP6, AP7
Special provisions for carriage - Loading, unloading and handling (RID)	: CW24
Colis express (express parcels) (RID)	: CE11
Hazard identification number (RID)	: 50

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available.

### 15.2. Chemical safety assessment

No additional information available.

## SECTION 16: Other information

### Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DNEL	Derived-No Effect Level
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP). Dissemination portal ECHA <https://echa.europa.eu/cs/search-for-chemicals>.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H- and EUH-statements:	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Sol. 1	Oxidising Solids, Category 1
Ox. Sol. 3	Oxidising Solids, Category 3
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Ox. Sol. 1	H271	Calculation method
Eye Dam. 1	H318	Calculation method

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*